



### KM 130/300 R Lpg

Diesel-powered, fully hydraulic industrial sweeper with three-wheel chassis and rear steering. For tackling tough jobs in the building material or metal-working industries, foundries and other dirt-intensive sectors. With Kubota 22kW engine.



#### 1 Rugged construction

- Solid steel frame.
- Rugged, water-cooled industrial engines.

#### 2 Efficient, durable filter

- Flat pleated filter with 5.5 m<sup>2</sup> filter area.
- Effective filter cleaning with dual scraper.



EASY-Operation concept.

4 EASY-Operation concept

Easy to use.

Short teach-in time.

н.


Easy to get in and out.



KM 130/300 R Lpg, 1.186-121.0, 2017-02-03

### **TECHNICAL DATA AND EQUIPMENT.**

#### KARCHER




#### KM 130/300 R Lpg

High working and transport speed

- Easy roller brush replacement without tools
- Fully hydraulic drive and sweeping system

Technical data		
Order Number		1.186-121.0
EAN code		4039784521148
Drive		4-stroke LPG engine / Kubota
Drive – power	kW	17,5
Max. area performance	m²/h	13000
Working width	mm	1000
Working width with 1 side brush	mm	1300
Working width with 2 side brushes	mm	1550
Waste container	I	300
Hill climbing ability	%	18
Operating speed	km/h	10
Filter area	m²	5,5
Weight	kg	900
Dimensions (L x W x H)	mm	2150 × 1330 × 1430

Equipment			
Manual filter cleaning system		State-of-charge indicator	
Traction drive	hydraulic	Operating hour meter	
Adjustable roller brush		Sweep function (can be switched off)	
Power steering		Pneumatic wheels	
Dustpan principle		Side brush swings out automatically	
Travel drive - forward		Sturdy bumper	
Travel drive, reverse			
Vacuum			
Hydraulic container lift			
Outdoor applications			
Indoor applications			
Included in delivery.			



		Order Number	Installation ex works	Length / width	Diame- ter	Price	Description							
Flat pleated filter							· · · · · · · · · · · · · · · · · · ·							
Flat-pleated filter KM 130/300	1	6.988-158.0												
	2	6.987-519.0												
Standard main roller brushes														
Reversing rolling mill KM 130/300	3	6.987-438.0		1000 mm	300 mm									
Main roller brush, soft/natural														
Reversing rolling mill soft KM 130/300	4	6.987-440.0		1000 mm	300 mm									
	5	6.987-460.0		1000 mm	300 mm									
Main roller brush, hard														
Reversing rolling mill hard KM 130/300	6	6.987-439.0		1000 mm	300 mm									

#### KARCHER

# ACCESSORIES FOR KM 130/300 R LPG 1.186-121.0



		Order Number	Length / width	Diame- ter	Price	Description
Standard side brushes						
Standard side brush	1	6.987-083.0		600 mm		
Side brush, hard						
Side brush, hard	2	6.905-773.0		550 mm		Removes stubborn dirt outdoors, moisture-proof, mildly abrasive
Side brush, hard						
Side brush, steel bristles	3	6.905-619.0		550 mm		For stripping, removing moss, abrasive, for outdoor use only
Side brush, soft						
Side brush, soft	4	6.905-620.0		550 mm		Sweeps fine dust on all surfaces, moisture-proof, for indoors $\ensuremath{\left }\ensuremath{L}\ensuremath{S}\ensuremath{T}\ensuremath{S}\ensuremath{T}\ensuremath{S}\ensuremath{T}\ensuremath{S}\ensuremath{T}\ensuremath{S}\ensuremath{T}\ensuremath{S}\ensuremath{T}\ensuremath{S}\ensuremath{T}\ensuremath{S}\ensuremath{T}\ensuremath{S}\ensuremath{S}\ensuremath{S}\ensuremath{S}\ensuremath{S}\ensuremath{T}\ensuremath{S}$



		Order Number	Installation ex works			Price	Description
Sweeping/Vacuuming							
Hose set DN40	1	2.637-014.0					
Add-on kit vacuum cleaner com- bustion eng	2	2.643-832.0	2.643-832.7				
Side brush cover	3	2.851-286.0					
Side brushes, left							
	4	2.851-272.0	2.851-272.7				
Other mounting kits							
	5						
Stainless steel waste container	6	6.961-926.7	6.961-926.7				
Lighting							
Working light	7	2.851-279.0	2.851-279.7				
Add-on kit illumination streets	8	2.852-151.7	2.852-151.7				
Protective roof for operator							
Canopy	9	2.851-267.7	2.851-267.7				
Add-on kit protection shield KM 130/300	10	2.852-191.0					
Canopy with windscreen and windscreen wiper	11	2.851-269.7	2.851-269.7				
Weatherproof cab			-	-			
Weatherproof cab	12	2.851-271.7	2.851-271.7				

		Order Number	Installation ex works		Price	Description	
Tyres							
Pneumatic tyres (set)	1	4.515-332.0	4.515-332.7				
Tyres, puncture-proof							
Puncture-proof tyres (set), solid rubber, non-marking	2	4.515-328.0	4.515-328.7				
	ailabl					·	_

		Order Number	Installation ex works				Price	Description	
Water spraying system									
	1	2.851-492.0	2.851-492.7						