



NT 27/1

All-purpose vacuum cleaner built for demanding cleaning applications

1 Cartridge filter with float

Large cartridge filter ensures constant high suction power. The float system interrupts the suction flow after reaching the maximum capacity.

3 Robust bumper

A bumper protects the vacuum as well as walls, machines and other items against damage.

2 Robust metal latches

The extremely robust metal latches lock more reliably.

TECHNICAL DATA AND EQUIPMENT.

KARCHER



NT 27/1

- With cartridge and wet filter
- Plastic container
- Accessory storage and cord hook

Technical data		
Order Number		1.428-509.0
EAN code		4039784724235
Air flow	l/s	67
Vacuum	mbar / kPa	200 / 20
Container capacity	I	27
Max. rated input power	W	max. 1380
Standard nominal size		35
Cable length	m	7,5
Sound level	dB(A)	72
Container material		Plastic
Quantity of motors		1
Frequency	Hz	50-60
Voltage	v	220-240
Weight	kg	7,5
Dimensions (L x W x H)	mm	420 × 420 × 525
Equipment		
Suction hose	m	2,5
Metal suction tube, 2 x 0.5 m		
Filter bag		Paper
Wet and dry floor tool	mm	300
Crevice nozzle		
Cartridge filter		I
Sturdy bumper		1
Safety class		II
Maintenance -free suction fans	piece(s)	1
Included in delivery		

Included in delivery.



		Order Number	Anzahl	Dummy	Dummy	Dummy	Price	Description	
Paper filter (2 ply)		I	I					I	
Filter bags 5St.	1	6.904-290.0	5 piece(s)					Dust class M.	
Cartridge filter paper									
Cartridge filter	2	6.414-789.0	1 piece(s)					Paper, larger filter area.	
Membrane filter / fabric filter									
Membrane/fabric filter	3	6.906-103.0	1 piece(s)					Polyester needle fleece, washable (40 °C).	
Special filter bags, wet filter bags									
Special filter bag, wet filter bag	4	6.904-171.0	5 piece(s)					Dust class L, general cleaning, dry and wet, tear-resistant.	
■ Included in delivery. □ Av	ailable	e accessories.							

Available accessories cluded in delivery

15-16

KÄRCHER



13-14

					1		1		-
		Order Number	Quantity	ID	Length	Width	Price	Description	
Plastic bend		I	I		1	1	1		+
Plastic bend	1	5.031-718.0	1 piece(s)	ID 35				Plastic bend (DN 35) with C-35 clip system. For all industria single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	I
	2	5.031-939.0	1 piece(s)	ID 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	
Plastic bend, ID 35	3	6.902-009.0	1 piece(s)	ID 35				Plastic, ID 35.	1
Plastic bend	4	5.032-427.0	1 piece(s)	ID 40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	
	5	5.031-904.0	1 piece(s)	ID 40				Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.	
All-purpose nozzles (wet/dry)									ļ
Floor tool DN35	6	6.906-512.0	1 piece(s)	ID 35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	1
Floor tool DN40-370	7	6.903-018.0	1 piece(s)	ID 40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903- 064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	[
Floor tool neutrally DN40	8	6.906-383.0	1 piece(s)	ID 40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm wor- king width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	
Floor tool neutrally DN35	9	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm wor- king width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	
Floor tool DN35	10	6.906-513.0	1 piece(s)	ID 35		360 mm		All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	
Floor tool DN40	11	6.906-554.0	1 piece(s)	ID 40		360 mm		All-purpose plastic nozzle (DN 40) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	
Crevice nozzles									
Crevice nozzle DN35	12	6.900-385.0	1 piece(s)	ID 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	1
Crevice nozzle	13	6.900-922.0	1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	[
Crevice nozzle DN40	14	6.905-817.0	1 piece(s)	ID 40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	
Suction tubes metal									
Suction tube DN35	15	6.900-514.0	1 piece(s)	ID 35	0,5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	
Suction tube	16	6.900-275.0	1 piece(s)	ID 40	0,5 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum clea- ners. Optional for industrial single-motor NT vacuum clea- ners with DN 40 suction hose.	

KARCHER

	18	19	0-20, 22	21		23	Tempornus	24
27-28	29		2-33	34		35		
		Order Numb	er Quantity	ID	Length	Width	Price	Description
Suction hoses complete (Clip Suction hose C DN35	o-system) 17	4.440-626.0	1 piece(s)	ID 35	2,5 m			2.5 m standard suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT 48/1.
Nozzle sets Nozzles set DN35	18	2.860-116.0	1 piece(s)	ID 35				Nozzle kit for all NT vacuum cleaners with DN 35 accesso- ries includes crevice tool, upholstery tool, round brush (x3)
Bend stainless		1		1		1		
Bend, stainless steel ID 35	19	6.903-141.0	1 piece(s)	ID 35				Stainless steel and crooked, ID 35
Bend, stainless steel ID 40		6.902-079.0	1 piece(s)	ID 40				Stainless steel and crooked, ID 40
Bend metal								
Bend, DN 35, metal	21	6.900-519.0	1 piece(s)	ID 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407- 112.0; C 35-DN 35, plastic, el.).
Bend, DN 40, metal	22	6.900-276.0	1 piece(s)	ID 40				Robust, chromium-plated metal bend (DN 40), can be used

All-purpose brushes All-purpose brush 2 Car cleaning nozzles	2 6.900-2 3 6.903-8 4 6.900-4 5 6.906-1	63.0 1 pie	ce(s) ID	35	120 mm		Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407- 111.0; C 40-DN 40, plastic, el.).	
All-purpose brush 2 2 Car cleaning nozzles	4 6.900-4	25.0 1 pie			120 mm			
Car cleaning nozzles	4 6.900-4	25.0 1 pie			120 mm			
Car cleaning nozzles			ce(s) ID	25			Natural bristles (ox hair), bristle element 120 x 45 mm.	
-	5 6.906-1	08.0 1 nie		100	120 mm		All-purpose brush PPN_Bristle	
Car pozzla DNOE	5 6.906-1	08.0 1 nie						
		100.0	ce(s) ID	35		90 mm	Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	
Rubber tool								
Rubber nozzle, ID 40 2	6 4.763-0	57.0 1 pie	ce(s) 40)			Rubber.	
Rubber suction tools, nose 45°								
Rubber suction tools, nose 45° 2	7 6.902-1	04.0 1 pie	ce(s) ID	35	220 mm		45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	
2	8 6.902-1	05.0 1 pie	ce(s) ID	40	220 mm		45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	
Radiator brushes								
Brush heating element 2	9 6.903-0	34.0 1 pie	ce(s) ID	35			Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0.	
Combi-nozzles (dry)								
Combination floor tool (dry) 3	0 6.906-5	11.0 1 pie	ce(s) ID	35		270 mm	Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	
Combi-nozzle (dry), DN 35 3	1 6.906-6	39.0 1 pie	ce(s) ID	35		262 mm	Plastic with stainless steel soleplate, switchable. Only CV and NT vacuum cleaners.	
Pipe dusting nozzles								
BRUSH 3	2 6.903-0	35.0 1 pie	ce(s) ID	35			Plastic, pipe diameter 100 mm	
3	3 6.903-0	36.0 1 pie	ce(s) ID	35			Plastic, pipe diameter 200 mm	
Suction brushes								
Suction brush DN35 3	4 6.903-8	62.0 1 pie	ce(s) ID	35		70 mm	Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum clea- ners.	
Turbo nozzle								
Upholstery nozzle TURBO 3	5 2.860-1	13.0 1 pie	ce(s) ID	32		160 mm	Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	

KARCHER

36 37-38		39		40		42	00	
47-48 49		50-	52	53		54		55
		Order Number	Quantity	ID	Length	Width	Price	Description
Floor tool TURBO DN 35/32	36	2.860-114.0	1 piece(s)	ID 32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.
Suction tubes stainless steel				1	1	1	1	tion sieeve.
Suction tube, ID 40	37	6.902-081.0	1 piece(s)	ID 40	0,5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for
Suction tube	38	6.906-531.0	1 piece(s)	ID 40	1 m			Stainless steel suction tube (DN 40, 1.0 m) only suitable for
Suction tube. DN 35	39	6.902-154.0	1 piece(s)	ID 35	0,5 m			NT vacuum cleaners.
Suction tubes plastic			P			1	1	
Suction tube, DN 35	40	6.900-384.0	1 piece(s)	ID 35	0,5 m			Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners. $\hfill \Box$
Extension tube, metal				1	1	1	1	
Extension tube, metal, ID 35	41	6.904-276.0	1 piece(s)	35	250 mm			Extension tube, ID 35, chrome-plated metal. For extending a suction tube from 0.5 m to 0.75 m length.
Repair kits	40	0.000.000.0	4 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	10.05	1	1	1	President (COS) includes threaded have adapted (without
Repair set, C 35	42	2.639-682.0	1 piece(s)	ID 35				Repair set (C35) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.
Suction hoses (Clip-system)		1	1	1	1		1	
Suction hose	43	6.906-241.0	1 piece(s)	35	4 m			4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end.
	44	6.906-275.0	1 piece(s)	35	2,5 m			2.5 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connec- tion at accessory end.
Suction hose (clip system), C 35, el.	45	6.906-500.0	1 piece(s)	35	4 m			4 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connec-
Suction hoses complete				1	1	1		tion at accessory end.
Suction hose, complete	46	4.440-287.0	1 piece(s)	ID 35	4 m			Standard, 4.0m, ID 35
Connecting sleeves		1						
Connecting sleeve, ID 27, el.	47	4.453-006.0	1 piece(s)	ID 27				For connecting 2 suction hoses, thread on both sides, elec- trically conducitve.
Adapter, DN 32/35, with internal thread	48	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.
Extension hoses (Clip-system)				1	1			
Extension hose, C 32, C 35 clip system	49	6.906-237.0	1 piece(s)	ID 32	2,5 m			Electrically non-conductive standard extension hose for all C-32 and C-35 hoses with clip system.
Connecting sleeve C-DN (clip on tap	1	1	1	10.25	1			Connecto C 35 have fee ID 35 selected and
C-ID 35 adapter C 40 adapter	50	5.407-112.0 5.407-109.0	1 piece(s) 1 piece(s)	ID 35 ID 40				Connects C 35 hose for ID 35, electrically conductive. □ Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 □
								or C-DN 40 suction hose. Suitable for NT vacuum cleaners.

C-DN 40 adapter 52 5.407-111.0 1 piece(s) ID 40 Connects C 40 hose for ID 40, electrically conductive. Adapter for electric power tools, clip on, el. Adapter for electric power tools, C 53 5.453-048.0 ID 35 1 piece(s) Inner Ø 25.4 mm, outer Ø 34.6 mm/ 38 mm, el. Only NT-35, el. vacuums. Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-Connecting sleeve for electric tool 5.453-049.0 ID 35 54 1 piece(s) C 35, el. vacuums. ID 35 Inner Ø 27 mm, outer Ø 36.5 mm/ 38.8 mm, el. Only NT-Adapter for electric power tools, C 55 5.453-050.0 1 piece(s) 35, el. vacuums.

■ Included in delivery. □ Available accessories.

KARCHER

56-57

















					1				
		Order Number	Quantity	ID	Length	Width	Price	Description	
Connecting sleeve for electric tool C 35, el.	56	5.453-051.0	1 piece(s)	ID 35				Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.	
Connecting sleeve for electric tools C 35, el.	57	5.453-052.0	1 piece(s)	ID 35				Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT- vacuums.	
Adapter for electric power tools, so	rewab	le							
Adapter for electric power tools, screwable, ID 35	58	2.639-129.0	1 piece(s)	ID 35				Plastic, adaptable from ID 26-36.	
Power tool adapter, threaded, DN 35	59	5.453-016.0	1 piece(s)	ID 35				3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	
Adapter for electric power tools, screwable, ID 35	60	5.453-026.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3/38.8 mm.	
Power tool adapter, threaded, DN 35	61	6.902-059.0	1 piece(s)	ID 35				Electrically conductive power tool adapter, threaded. Inter- nal diameter: 32 mm.External diameter: 39 mm.	
	62	6.902-095.0	1 piece(s)	ID 35				2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.	
Reducing sleeves									
Reducer	63	5.407-108.0	1 piece(s)	ID 40				Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.	
Sleeve C40 / C35	64	5.407-113.0	1 piece(s)	ID 40				Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.	
Reducer (tube -> nozzle)									
Reducer	65	6.902-017.0	1 piece(s)	ID 40				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	ם ו
Reducer from ID 35 to 32	66	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	
Set reducing / extension sleeves									-
Set reducing / extension sleeves	67	2.860-117.0	1 piece(s)					ID 40/35, ID 35/32 (tube -> nozzle), plastic.	
Sonstiges									
Drilling dust tool	68	2.679-000.0	1 piece(s)						
CS 40 Me	69	2.863-026.0	1 piece(s)						



		Order Number	Length	Colour	Quanti- ty	Price	Description	
Miscellaneous								
Extension cable	1	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	



		Order Number	Quantity	ID	Length / width	Price	Description	
Other nozzles								
45° rubber suction nozzle	1	6.902-106.0	1 piece(s)	ID 61	220 mm		Angled 45°, for suction of machines, oil-resistant	
Aluminium surface nozzle	2	4.130-415.0	1 piece(s)	ID 61	200 mm		Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper	
Crevice tools								
Grout nozzle, synthetic	3	6.900-222.0	1 piece(s)	ID 61	370 ×		Grout nozzle, plastic, 370 mm	
					64 mm			
Grout nozzle, stainless steel	4	6.900-926.0	1 piece(s)	ID 61	370 × 90 mm		Grout nozzle, stainless steel, 400 mm	

		Order Number			Price	Description	
Suction tools							
	1	6.900-929.0				plastic	
Included in delivery	بالماماني						