KARCHER

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.05.2024

Version number 6 (replaces version 5)

Revision: 15.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

- **1.2 Relevant identified uses of the substance or mixture and uses advised against** Restricted to professional users.
- · Application of the substance / the mixture Spray extraction cleaner

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd. Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain Tel.: +44-1295-752-000

Internet: www.karcher.com

[•] Further information obtainable from:

Regulatory Affairs Tel.: +49-7195-14-0 productsafety.management.de@karcher.com

1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

according to Regulation (EC) No 1907/2006, Article 31


Printing date 17.05.2024

KARCHER

Version number 6 (replaces version 5)

Revision: 15.02.2023

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760



SECTION 3: Composition/information on ingredients

[•] 3.2 Mixtures

• **Description:** Mixture of substances listed below with non-hazardous additions.

[•] Dangerous components:		
CAS: 497-19-8 EINECS: 207-838-8 Index number: 011-005-00-2 Reg.nr.: 01-2119485498-19-xxxx	sodium carbonate	30-50%
CAS: 77-92-9 EINECS: 201-069-1 Index number: 607-750-00-3 Reg.nr.: 01-2119457026-42-xxxx	citric acid	30-50%
CAS: 6153-56-6 EINECS: 205-634-3 Index number: 607-006-00-8 Reg.nr.: 01-2119534576-33-xxxx	oxalic acid dihydrate	_ ≥1-<3%
CAS: 68439-46-3	C9-11 alcohol ethoxylate	1-5%
CAS: 9004-34-6 EINECS: 232-674-9	Cellulose substance with a Community workplace exposure limit	1-5%
• Additional information For the wording of the listed hazard phrases refer to section 16.		

(Contd. on page 3)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.05.2024

Version number 6 (replaces version 5)

Revision: 15.02.2023

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 2)

SECTION 4: First aid measures

- [•] 4.1 Description of first aid measures
- After inhalation Supply fresh air; consult doctor in case of complaints.
- After skin contact Generally the product does not irritate the skin.
- After eye contact Rinse opened eye for several minutes under running water.
- [•] After swallowing

Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- [•] 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Not required.

[•] 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water. Do not allow to penetrate the ground/soil.

- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- [•] 6.4 Reference to other sections
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 4)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.05.2024

Version number 6 (replaces version 5)

Revision: 15.02.2023

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 3)

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling
- Prevent formation of dust.

Avoid contact with eyes and skin.

· Information about fire - and explosion protection: No special measures required.

- 7.2 Conditions for safe storage, including any incompatibilities
- [·] Storage

• Requirements to be met by storerooms and receptacles: Protect from humidity. Store dry and locked up.

- · Information about storage in one common storage facility: Keep away from food, beverages and feed.
- Further information about storage conditions: Keep receptacle tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

6153-56-6 oxalic acid dihydrate WEL Short-term value: 2 mg/m³

Long-term value: 1 mg/m³

9004-34-6 Cellulose

WEL Short-term value: 20* mg/m³ Long-term value: 10* 4** mg/m³ *inhalable dust **respirable

· DNELs

497-19-8 sodium carbonate

Inhalative DNEL 10 mg/m3 (employee)

[•] 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

- [·] Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes and skin.
- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Not required.
- Material of gloves Not required.
- · Penetration time of glove material Not required.

(Contd. on page 5)

GB



KARCHER

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.05.2024

· Eye/face protection

Version number 6 (replaces version 5)

Revision: 15.02.2023

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

Tightly sealed goggles (EN 166)

(Contd. of page 4)

SECTION 9: Physical and chemical properties				
9.1 Information on basic physical and chemical pr	operties			
General Information				
Physical state	Solid.			
Colour:	Colourless			
Odour:	green tea			
Odour threshold:	Not determined.			
Melting point/freezing point:	undetermined			
Boiling point or initial boiling point and boiling range	undetermined			
Flammability	Not determined.			
Lower and upper explosion limit				
Lower:	Not determined.			
Upper:	Not determined.			
Flash point:	Not applicable			
Auto-ignition temperature:	not applicable			
Decomposition temperature:	Not determined.			
pH	Not determined.			
pH-value 10 %:	8-9			
Viscosity:				
Kinematic viscosity	Not applicable.			
dynamic:	Not applicable.			
Solubility	Not applicable.			
Water:	Soluble			
Partition coefficient n-octanol/water (log value)	Not determined.			
Vapour pressure:	Not applicable.			
Density and/or relative density	Not applicable.			
Relative density	Not determined.			
Bulk density:	890 kg/m ³			
Vapour density	Not applicable.			
Relative gas density	Not applicable.			
• •				
9.2 Other information				
Appearance:				
Form:	Tablets			
Important information on protection of health and				
environment, and on safety.				
Ignition temperature:	Product is not selfigniting.			
Explosive properties:	Product does not present an explosion hazard.			
F. 2				
	(Contd. on page			

— GB —



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.05.2024

Version number 6 (replaces version 5)

Revision: 15.02.2023

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

		(Contd. of pa
Change in condition		
Evaporation rate	Not applicable.	
Information with regard to physical hazard	classes	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammabl	le gases	
in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

• 10.1 Reactivity corresponds to 10.3

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

* 10.3 Possibility of hazardous reactions No dangerous reactions known

• **10.4 Conditions to avoid** No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

* 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

497-19-8 sodium carbonate

Oral LD50 2800 mg/kg (Rat)

(Contd. on page 7)

— GB

according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.05.2024

KARCHER

Version number 6 (replaces version 5)

Revision: 15.02.2023

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 6)

Dermal LD50 >2000 mg/kg (rabbit)

6153-56-6 oxalic acid dihydrate Dermal LD50 20000 mg/kg (Rabbit)

68439-46-3 C9-11 alcohol ethoxylate

Oral |LD50|>5000 mg/kg (Rat)

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.
- * STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- ¹11.2 Information on other hazards
- · Endocrine disrupting properties
- None of the ingredients is listed.

Aquatic 1	oxicity:
497-19-8 s	sodium carbonate
EC50/48 h	200-227 mg/l (Ceriodaphnia dubia)
EC50/96 h	300 mg/l (Lepomis macrochirus)
77-92-9 ci	tric acid
LC50/48 h	440 mg/l (Leuciscus idus) (OECD Test Guideline 203)
LC50/24 h	1.535 mg/l (Daphnia magna) (static test)
6153-56-6	oxalic acid dihydrate
LC50/48 h	160 mg/l (Leuciscus idus)
EC50/48 h	162.2 mg/l (Daphnia magna)
68439-46-	3 C9-11 alcohol ethoxylate
LC50/96 h	1-10 mg/l (Oncorhynchus mykiss)
EC50/48 h	n 1-10 mg/l (Daphnia magna)
EC50/72 h	n 1-10 mg/l (Algae)

* 12.4 Mobility in soil No further relevant information available.

GB

according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.05.2024

Version number 6 (replaces version 5)

Revision: 15.02.2023

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 7)

12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects Additional ecological information:

· General notes:

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liqid waste.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The product does not contain organically bounded halogens (AOX-free).

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

[•] 13.1 Waste treatment methods

[·] Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

[·] European waste catalogue

20 01 29* detergents containing hazardous substances

[•] Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

• Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information		
· 14.1 UN number or ID number		
· ADR, IMDG, IATA	Void	
[·] 14.2 UN proper shipping name		
ADR, IMDG, IATA	Void	
		(Contd. on page 9)
		GB -



KÄRCHER

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.05.2024

Version number 6 (replaces version 5)

Revision: 15.02.2023

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

	(Cont	d. of page 8)
[•] 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
^{14.6} Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according	g to IMO	
instruments	Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

[·] Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

[•] National regulations

· Information about limitation of use: Employment restrictions concerning juveniles must be observed.

• **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Contact:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 10)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.05.2024

Version number 6 (replaces version 5)

Revision: 15.02.2023

(Contd. of page 9)

GB

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent DBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 * * Data compared to the previous version altered.

0.011-335.0 RM 760 T/6 2.647

