

Printing date 12.07.2024

Version number 7 (replaces version 6)

Revision: 21.06.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: PressurePro Intensive Deep Cleaner RM 750

- **1.2 Relevant identified uses of the substance or mixture and uses advised against** Restricted to professional users.
- Application of the substance / the mixture Detergent

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd. Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain Tel.: +44-1295-752-000

Internet: www.karcher.com

[•] Further information obtainable from:

Regulatory Affairs Tel.: +49-7195-14-0 productsafety.management.de@karcher.com

1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)


SECTION 2: Hazards identification

(Contd. on page 2)

Version number 7 (replaces version 6)

Revision: 21.06.2021

Trade name: PressurePro Intensive Deep Cleaner RM 750



SECTION 3: Composition/information on ingredients

[•] 3.2 Mixtures

KARCHER

Printing date 12.07.2024

• Description: Mixture of substances listed below with non-hazardous additions.

[.] Dangerous	components
------------------------	------------

Dangerous components.				
potassium hydroxide	≥2-<5%			
Skin Corr. 1A, H314; 🔶 Acute Tox. 4, H302				
Specific concentration limits: Skin Corr. 1A; H314: $C \ge 5$ %				
Skin Corr. 1B; H314: 2 % ≤ C < 5 %				
Skin Irrit. 2; H315: 0.5 % ≤ C < 2 %				
Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %				
fatty alcohol alkoxylate phosphoric acid ester	≥1-<3%			
📀 Eye Dam. 1, H318; 🚸 Skin Irrit. 2, H315				
sodium 2-butoxyethyl sulphate	1-5%			
🕀 Eve Dam. 1, H318				
Specific concentration limit: Eye Dam. 1; H318: C ≥ 50.00001 %				
e wording of the listed hazard phrases refer to section 16.	,			
	 ♦ Skin Corr. 1A, H314; ♦ Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 % fatty alcohol alkoxylate phosphoric acid ester ♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315 sodium 2-butoxyethyl sulphate ♦ Eye Dam. 1, H318 Specific concentration limit: Eye Dam. 1; H318: C ≥ 50.00001 % 			

SECTION 4: First aid measures

• 4.1 Description of first aid measures

[•] General information

Involve doctor immediately.

(Contd. on page 3)

Version number 7 (replaces version 6)

Revision: 21.06.2021

Trade name: PressurePro Intensive Deep Cleaner RM 750

(Contd. of page 2)

Immediately remove any clothing soiled by the product.

After inhalation

In case of unconsciousness place patient stably in side position for transportation. Supply fresh air; consult doctor in case of complaints.

- After skin contact Immediately wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing

Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. Drink plenty of water and provide fresh air. Call for a doctor immediately.

* 4.2 Most important symptoms and effects, both acute and delayed Corneal damage

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

[·] 5.1 Extinguishing media

[•] Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

[•] 5.3 Advice for firefighters

- · Protective equipment: Wear fully protective suit.
- Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

[•] 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Use neutralising agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

[•] 6.4 Reference to other sections

See Section 7 for information on safe handling

(Contd. on page 4)



Printing date 12.07.2024

Printing date 12.07.2024

KARCHER

Version number 7 (replaces version 6)

Revision: 21.06.2021

(Contd. of page 3)

Trade name: PressurePro Intensive Deep Cleaner RM 750

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with eyes and skin.

· Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

[·] Storage

• Requirements to be met by storerooms and receptacles:

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: glass or ceramic.

Store only in the original receptacle.

- Information about storage in one common storage facility: Do not store together with acids.
 Keep away from food, beverages and feed.
- Further information about storage conditions: Store under lock and key and out of the reach of children. Keep receptacle tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

[•] 8.1 Control parameters

[•] Ingredients with limit values that require monitoring at the workplace:

1310-58-3 potassium hydroxide

WEL Short-term value: 2 mg/m³

[•] 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

Do not inhale gases / fumes / aerosols.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use selfcontained respiratory protective device. Filter A/P2.

(Contd. on page 5)

GB

Safety data sheet according to UK REACH

Version number 7 (replaces version 6)

Revision: 21.06.2021

Trade name: PressurePro Intensive Deep Cleaner RM 750

(Contd. of page 4) Hand protection Protective gloves. · Material of gloves Butyl rubber, BR Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. • For the permanent contact gloves made of the following materials are suitable: * butyl rubber 0,7 mm, 480 min (EN 374) For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable: Nitrile rubber. NBR Eye/face protection Tightly sealed goggles (EN 166) · Body protection: **Boots** Apron **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties · General Information · Physical state Fluid · Colour: Yellow · Odour: citrus-like · Odour threshold: Not determined. • Melting point/freezing point: - 9 °C · Boiling point or initial boiling point and boiling range 100 °C Not applicable. · Flammability Lower and upper explosion limit · Lower: Not determined. · Upper: Not determined. · Flash point: Not applicable • Auto-ignition temperature: not applicable · Decomposition temperature: Not determined. · pH at 20 °C 13.7 · pH-value 1 %: 11-12 · Viscosity: · Kinematic viscosity Not determined. · dynamic at 20 °C: 5 mPas · Solubility · Water: Fully miscible · Partition coefficient n-octanol/water (log value) Not determined. Not determined. · Vapour pressure: (Contd. on page 6)



Printing date 12.07.2024

Printing date 12.07.2024

KARCHER

Version number 7 (replaces version 6)

Revision: 21.06.2021

Trade name: PressurePro Intensive Deep Cleaner RM 750

	(Contd. of page
Density and/or relative density	
Density at 20 °C:	1.112 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Relative gas density	Not determined.
9.2 Other information	
Appearance:	
· Form:	Fluid
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Solids content:	20.1 %
Change in condition	20.1 /0
Evaporation rate	Not determined.
•	
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases	
in contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void
· Organic peroxides	Void
Corrosive to metals	May be corrosive to metals.
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity corresponds to 10.3

- [•] 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Strong exothermic reaction with acids

(Contd. on page 7)

- GB -

Printing date 12.07.2024 Version num

Version number 7 (replaces version 6)

Revision: 21.06.2021

Trade name: PressurePro Intensive Deep Cleaner RM 750

(Contd. of page 6)

Reacts with light alloys to form hydrogen Corrodes aluminium

KARCHER

• **10.4 Conditions to avoid** No further relevant information available.

• **10.5 Incompatible materials:** Not compatible with alkali-sensitive substances like Sn, Zn, Al and paintings.

* **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

1310-58-3 potassium hydroxide

Oral LD50 333 mg/kg (Rat)

68649-29-6 fatty alcohol alkoxylate phosphoric acid ester

Oral LD50 >2000-5000 mg/kg (Rat)

* Skin corrosion/irritation Causes severe skin burns and eye damage.

* Serious eye damage/irritation Causes serious eye damage.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

• Aquatic toxicity:

1310-58-3 potassium hydroxide

LC50/96 h 80 mg/l (Gambusia affinis)

165 mg/l (Poecilia reticulata)

68649-29-6 fatty alcohol alkoxylate phosphoric acid ester

EC50/48 h 1-10 mg/l (Daphnia sp.)

• **12.2 Persistence and degradability** No further relevant information available.

(Contd. on page 8)

Printing date 12.07.2024

KARCHER

Version number 7 (replaces version 6)

Revision: 21.06.2021

Trade name: PressurePro Intensive Deep Cleaner RM 750

(Contd. of page 7)

• Other information: The product is biodegradable.

* 12.3 Bioaccumulative potential No further relevant information available.

* 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.
- * 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

- [•] Additional ecological information:
- · COD-value: 126000 mg/l

· General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liqid waste.

The product does not contain organically bounded halogens (AOX-free).

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

[·] Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

[•] European waste catalogue

20 01 29* detergents containing hazardous substances

[·] Uncleaned packaging:

· Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

(Contd. on page 9)

Version number 7 (replaces version 6)

Revision: 21.06.2021

Trade name: PressurePro Intensive Deep Cleaner RM 750

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information		
14.1 UN number or ID number		
ADR, IMDG, IATA	UN1814	
14.2 UN proper shipping name		
ADR	1814 POTASSIUM HYDROXIDE SOLUTION	
IMDG, IATA	POTASSIUM HYDROXIDE SOLUTION	
14.3 Transport hazard class(es)		
ADR		
~ ~		
\mathbf{V}		
Class	8 (C5) Corrosive substances.	
Label	8	
IMDG, IATA		
····		
8		
Class	8 Corrosive substances.	
Label	8	
14.4 Packing group		
ADR, IMDG, IATA	111	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Warning: Corrosive substances.	
Hazard identification number (Kemler code):	80	
EMS Number:	F-A,S-B	
Segregation groups	(SGG18) Alkalis	
Stowage Category	A	
Segregation Code	SG35 Stow "separated from" SGG1-acids	
14.7 Maritime transport in bulk according to	IMO	
instruments	Not applicable.	
		on page



Printing date 12.07.2024

(Contd. of page 8)

Version number 7 (replaces version 6)

Revision: 21.06.2021

Printing date 12.07.2024

KARCHER

Trade name: PressurePro Intensive Deep Cleaner RM 750

	(Contd. of page 9,
[·] Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	E
IMDG	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- [·] Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- [•] National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. **Contact:** Regulatory Affairs Tel: ±40, 7195, 14, 0

Tel.: +49-7195-14-0 productsafety.management.de@karcher.com

(Contd. on page 11)

GB

Version number 7 (replaces version 6)

Revision: 21.06.2021

Trade name: PressurePro Intensive Deep Cleaner RM 750

(Contd. of page 10)

Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 . * Data compared to the previous version altered. 0.011-135.0 RM 750/6 2.419 GB



Printing date 12.07.2024